


Candy Corn Zipper Pouch Instructions:

Fabric Required:	Interfacing:	Zipper:
3 Fat Eights for the candy corn exterior	2 triangles of Fusible Fleece for the exterior	10" Zipper
1 FQ for the interior	2 triangles of SF101 for the interior	Please note: These Requirements are for 1 pouch

Grab a standard piece of copy paper, 8.5" x 11". Fold it half on the longer side of the paper, creating almost like a hotdog bun.

1. Grab a ruler and create a line that is diagonal from the top left folded edge to the bottom right open edge. Cut along that line to create half a triangle.
2. Once you have it cut, open it and you will have a full triangle shape to start creating your candy corn.
3. Take your ruler again to create lines on the triangle to follow when cutting out your candy corn. The first line you are going to make it going to be 2.5" from the fat bottom edge of the triangle. Then the next line is going to be 7" from the bottom edge of the edge of the triangle.
4. Now you have a triangle that resembles a candy corn! The bottom the section of the candy corn should measure 2.5" thick. The middle section of the candy corn should measure 4.5" thick and lastly the tip
The candy corn should be 4" thick.
5. This will be your template for cutting out the exterior of the pouch. Next you are going to take your 3 colors of your candy corn and we will be cutting the stripes and sewing them together.



6. Follow the chart below for cutting:

Color 1: The tip of the candy corn	Color 2: The middle	Color 3: The bottom
You will need a fat eighth of each color if you are only making 1 zipper pouch		
Cut 1 stripe that measures: 4.25" x WOF	Cut 1 stripe that measures: 5" x WOF	Cut 1 stripe that measures: 2.75" x WOF
Cut a small 2" x 2" tab out of any of your exterior fabrics to be used on your zipper.		
Cut 2 triangles of your interior fabric. As well as 2 triangles of SF101 and Fusible Fleece.		

8. Once you have everything cut out, go ahead and piece together your stripes using a 1/4" seam allowance and making sure you stack the layers correctly.

9. Press your seams open, and lay your pieced fabric down with the right side facing you. Grab your template you created and lay it on top. Making sure the right colors are where they need to be. That's why we created the lines on the template, they should match up with seams of the colors ensuring you have the right colors and the right size. Cut out 2 exterior pieces.

10. Go ahead and interface your exterior candy corn pieces with the fleece, and the interior with the SF101. You can choose to do any quilting on the exterior pieces at this point if you'd like.

11. Take your 2x2" tab and fold it in half WST, and press to create a centerfold. Then fold the left and right side towards the middle crease and press. Then fold together, creating a small 1/2" x 2" tab. Tuck in the edge of your zipper inside the tab. Top stitch the 3 layers together at a 1/8" seam allowance. Note that the flat side of the zipper pull should be hitting the tab. The head of the zipper should be facing the raw edge.

12. For the other edge of the zipper, you are going to use the "butler method" to tuck the raw edges down. This method allows you to open your pouch extra wide. Once you do that your zipper will measure about 9.5" long. The head of your zipper should end at the butler end.

13. Take one of your candy corn exteriors and place the zipper along the long edge of the exterior. Place the zipper teeth to the right side of the fabric. Place the side of the zipper with the zipper tab towards the bottom on the candy corn and the "butler" part of the zipper towards the tip of the candy corn. Positioning the zipper 1" from the left & the right.

14. Once the zipper is in place, put one of your interior triangles on top of the zipper right side down. Sew the 3 layers together at a 1/4".

15. Open your layers and top stitch along the fabric edge closest to the zipper at a 1/8". Repeat the same process with the last exterior, and interior triangle pieces.

16. Once your zipper is installed, you're going to match up the exterior pieces right sides together and match the interior pieces right sides together. Be sure to leave your zipper half way open before sewing. Pin all the way around, making sure you leave a 4" opening on the exterior pieces. Sew all the way around at a 1/4" seam. Be sure to clip your corners when done.

17. When you are done sewing all the way around the pouch, reach through the 4" opening and turn the pouch right side out. Iron everything into place, and once you are ready, tuck in your 4" opening to be flush with the lining and sew it closed.

Enjoy!
XO Boki